

**AMENDMENTS TO THE CLAIMS:**

1.(Currently Amended): A composition for removing and preventing build-up of ~~paraffin~~ paraffin, tars, heavy oil, calcium carbonate, iron oxide and other soils and scales, from gas or oil wells, hydrocarbon bearing formations, or recovery, pumping, storage, or transmission equipment, comprising about 40 to 99 wt% of a fatty acid alkyl ester blend and about 1 to 20 wt% of at least one lower alkyl glycol ether selected from methyl, ethyl, propyl or butyl ethers of ethylene glycol, diethylene glycol, dipropylene glycol or tripropylene glycol and mixtures thereof wherein the fatty acid alkyl ester blend contains C<sub>1</sub>-C<sub>4</sub> esters of C<sub>4</sub>-C<sub>22</sub> fatty acids.

2. (Cancelled)

3. (Previously Presented): A composition according to claim 1 wherein the fatty acid alkyl ester blend contains esters selected from the group consisting of methyl, ethyl, n-propyl, isopropyl, and n-butyl esters of C<sub>4</sub> to C<sub>22</sub> fatty acids.

4. (Currently Amended): A composition according to claim 3 wherein the fatty acid alkyl ester blend contains esters selected from the group consisting of the methyl esters of C<sub>4</sub> to C<sub>22</sub> fatty acids.

5. (Cancelled)

6. (Currently Amended): A composition according to claim 1 wherein the composition further

comprises 1 to 40 wt% of polyoxyalkylene glycol ethers wherein the polyoxyalkylene glycol ether has the formula:



[[W]] wherein R is C<sub>1</sub>-C<sub>8</sub> alkyl and x is greater than 4.

7. (Original): A composition according to claim 6 wherein R is methyl, ethyl, propyl, or butyl.

8. (Original): A composition according to claim 7 wherein the polyoxyalkylene glycol ether is n-butoxy polyalkylene glycol ether.

9. (Original): A composition according to claim 1 wherein the composition further comprises up to 20 wt% of at least one additive selected from the group consisting of terpenes, terpene alcohols, C<sub>8</sub>-C<sub>14</sub> alcohol acetate ester blends, glycols, diacid esters, and petroleum hydrocarbons.

10. (Original): A composition according to claim 1 further comprising up to 10 wt% of a surfactant.

11. (Currently Amended): A composition according to claim 10 wherein the surfactant is selected from the group of ethoxylated ~~nonylphenols~~ nonylphenols, linear alcohol ethoxylates, and alkanolamine salts of dodecylbenzene sulfonic acid.

12. (Original): A composition according to claim 1 wherein the fatty acid alkyl ester blend is present in amounts of about 50 to 95 wt%.

13. (Original): A composition according to claim 1 wherein the composition further comprises at least 1 wt% of an antioxidant.